

Data Pengenceran Brix

Sampel 1		Sampel 2		Sampel 3		Sampel 4		Sampel 5
Pengenceran (%)	°Brix (%)	Pengenceran (%)	°Brix (%)	Pengenceran (%)	°Brix (%)	Pengenceran (%)	°Brix (%)	Pengenceran (%)
0	9.00	0	9.00	0	10.70	0	13.00	0
10	7.50	10	8.70	10	9.20	10	11.00	10
20	6.50	20	6.90	20	8.00	20	10.00	20
30	6.20	30	5.50	30	8.00	30	10.00	30
40	5.50	40	5.20	40	7.20	40	8.00	40
50	5.00	50	5.00	50	7.00	50	8.00	50
60	5.00	60	4.20	60	6.20	60	7.80	60
70	4.80	70	4.20	70	5.20	70	7.20	70
80	4.10	80	4.10	80	5.00	80	6.90	80
90	4.10	90	4.00	90	4.70	90	6.20	90
100	3.80	100	3.50	100	4.00	100	6.10	100

Catatan: Sampel 1-5 adalah sampel yang berbeda

Tugas: Masing-masing sampel dibuat grafik, lalu simpulkan.

pel 5
°Brix (%)
12.00
11.00
10.00
9.00
8.50
7.50
7.00
6.50
6.00
5.50
5.50